

## Panel Light

### Description:

- 405nm White Lighting Disinfection
- Pass EN/IEC62471
- 100% Safe to Human & Pets
- 99.99% Disinfection Effect
- Friendly to Eyes & Skin
- Deliver True Colors



## Product Specification:

### Basic sheet:

Size	Power	Mounting	LED QTY	CCT
300x300mm	18W	Recessed	16pcs	2,700K
300x600mm	24W		24pcs	4,000K
450x450mm	30W		36pcs	5,000K
600x600mm	40W		42pcs	5,600K
			6,500K	

### Electrical:

Voltage	AC100-265V AC175-265V
Frequency	50/60Hz
PF	> 0.9

### Performance:

Ra	93
R9	65
Lumens	80LM/W

# Ultra Light illuminates your health.


## Physical:

Size	Product Weight	Carton	Carton Weight
300x300x30mm	0.6kg	780x320x313mm 20pcs/carton	13.37kg
300x600x30mm	1.03kg	613x400x320mm 10pcs/carton	11.4kg
450x450x30mm	1.13kg	520x530x270mm 8pcs/carton	10kg
600x600x30mm	1.6kg	650x650x290mm 8pcs/carton	14kg
<b>Housing</b>	PC, Aluminum	<b>Accessories</b>	User Manual x1
<b>Ambient Temp.</b>	-20°C~ 45°C		

## Product Code:

Series		Power		Category		CCT		RA	
<b>UVWL</b>	UV LED White Light	<b>40</b>	40W	<b>PL</b>	Panel Light	<b>27</b>	2,700K	<b>90</b>	90
						<b>40</b>	4,000K		
						<b>50</b>	5,000K		
						<b>56</b>	5,600K		
						<b>65</b>	6,500K		

Example:



# Ultra Light

illuminates your health.

## Application:

- Homes
- Restaurants
- Schools
- Health Care
- Shops
- Markets
- Libraries
- Offices
- Hotels

## Caution:

1. Do not touch the product when the power is on.
2. Do not use this product near water.
3. Do not place this product on unstable or soft surfaces to prevent it from the damage or overheating.
4. Do not place it near or over a radiator or heat register.
5. Never push any objects into this product.
6. Do not disassemble this product by yourselves.
7. Keep it away from children or persons lack of knowledge.

**RoHS CB CE**

**IP20**

**L70**  
30,000h

**3**  
YEARS  
Warranty